


**Amendments To The Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

What is claimed is:

1. – 9. (Canceled).

10. (Currently Amended) A compound of formula (I), or a pharmaceutically acceptable salt, ~~or solvate~~ thereof:



wherein:

R<sup>1</sup> represents ~~C<sub>3-7</sub> cycloalkyl~~ cyclobutyl or cyclopentyl optionally substituted by C<sub>1-3</sub> alkyl;

R<sup>2</sup> represents -aryl, -heterocyclyl, -heteroaryl, -aryl-X-C<sub>3-8</sub> cycloalkyl, -aryl-X-aryl, -aryl-X-heteroaryl, -aryl-X-heterocyclyl, -heteroaryl-X-C<sub>3-8</sub> cycloalkyl, -heteroaryl-X-aryl, -heteroaryl-X-heteroaryl, -heteroaryl-X-heterocyclyl, -heterocyclyl-X-C<sub>3-8</sub> cycloalkyl, -heterocyclyl-X-aryl, -heterocyclyl-X-heteroaryl, or -heterocyclyl-X-heterocyclyl;

X represents a bond, O, CO, -CH<sub>2</sub>O-, -COCH<sub>2</sub>-, -COCH<sub>2</sub>O-, -CONR<sup>2b</sup>-, -COCH<sub>2</sub>NR<sup>2b</sup>CO-, -CSNH-, SO<sub>2</sub>, -SO<sub>2</sub>C<sub>1-3</sub> alkyl-, -SO<sub>2</sub>C<sub>2-3</sub> alkenyl-, -COC<sub>2-3</sub> alkenyl-, -CO-C(R<sup>2a</sup>)(R<sup>2b</sup>)-, or -CO-C(R<sup>2a</sup>)(R<sup>2b</sup>)CH<sub>2</sub>-;

R<sup>2a</sup> represents hydrogen or C<sub>1-6</sub> alkyl;

R<sup>2b</sup> represents hydrogen, C<sub>1-6</sub> alkyl, aryl, heteroaryl, heterocyclyl, or C<sub>1-6</sub> alkylamido;

R<sup>3</sup> represents halogen, C<sub>1-6</sub> alkyl, C<sub>1-6</sub> alkoxy, cyano, amino, or trifluoromethyl;

n is 0, 1, or 2;

wherein said alkyl, cycloalkyl, aryl, heteroaryl and heterocyclyl groups of  $R^2$  may be optionally substituted by one or more substituents which may be the same or different, and which are selected from the group consisting of halogen, hydroxy, cyano, nitro, =O, haloC<sub>1-6</sub> alkyl, haloC<sub>1-6</sub> alkoxy, C<sub>1-6</sub> alkyl, hydroxyC<sub>1-6</sub> alkyl, C<sub>1-6</sub> alkoxy, arylC<sub>1-6</sub> alkoxy, C<sub>1-6</sub> alkylthio, C<sub>1-6</sub> alkoxyC<sub>1-6</sub> alkyl, C<sub>3-7</sub> cycloalkylC<sub>1-6</sub> alkoxy, C<sub>1-6</sub> alkanoyl, C<sub>1-6</sub> alkoxycarbonyl, C<sub>1-6</sub> alkylsulfonyl, C<sub>1-6</sub> alkylsulfinyl, C<sub>1-6</sub> alkylsulfonyloxy, C<sub>1-6</sub> alkylsulfonylC<sub>1-6</sub> alkyl, sulfonyl, arylsulfonyl, arylsulfonyloxy, arylsulfonylC<sub>1-6</sub> alkyl, aryloxy, C<sub>1-6</sub> alkylsulfonamido, C<sub>1-6</sub> alkylamino, C<sub>1-6</sub> alkylamido,  $-R^5$ ,  $-CO_2R^5$ ,  $-COR^5$ ,  $-C_{1-6}$  alkyl-COR<sup>5</sup>, C<sub>1-6</sub> alkylsulfonamidoC<sub>1-6</sub> alkyl, C<sub>1-6</sub> alkylamidoC<sub>1-6</sub> alkyl, arylsulfonamido, arylcarboxamido, arylsulfonamidoC<sub>1-6</sub> alkyl, arylcarboxamidoC<sub>1-6</sub> alkyl, aroyl, arylC<sub>1-6</sub> alkyl, aroylC<sub>1-6</sub> alkyl, arylC<sub>1-6</sub> alkanoyl, or a group  $-NR^6R^7$ ,  $-C_{1-6}$  alkyl-NR<sup>6</sup>R<sup>7</sup>,  $-C_{3-8}$  cycloalkyl-NR<sup>6</sup>R<sup>7</sup>,  $-CONR^6R^7$ ,  $-NR^6COR^7$ ,  $-NR^6SO_2R^7$ ,  $-OCONR^6R^7$ ,  $-NR^6CO_2R^7$ ,  $-NR^5CONR^6R^7$ , and  $-SO_2NR^6R^7$ ,

wherein said  $R^5$ ,  $R^6$ , and  $R^7$  independently represent hydrogen, C<sub>1-6</sub> alkyl, haloC<sub>1-6</sub> alkyl,  $-C_{3-8}$  cycloalkyl,  $-C_{1-6}$  alkyl- $-C_{3-8}$  cycloalkyl, aryl,  $-C_{1-6}$  alkyl-aryl, heterocyclyl, or heteroaryl; or wherein  $-NR^6R^7$  may represent a nitrogen containing heterocyclyl group, and wherein said  $R^5$ ,  $R^6$  and  $R^7$  groups may be optionally substituted by one or more substituents which may be the same or different, and which are selected from the group consisting of halogen, hydroxy, C<sub>1-6</sub> alkyl, C<sub>1-6</sub> alkoxy, cyano, amino, =O, and trifluoromethyl.

11. (Currently Amended) A compound according to claim 10 selected from the group consisting of:

3-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]benzonitrile;

4-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]benzonitrile;

2-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]benzonitrile;

7-{4-[(2-chlorophenyl)carbonyl]-1-piperazinyl}-3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclobutyl-7-[4-(tetrahydro-2H-pyran-4-ylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

4-{[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]carbonyl}benzonitrile ;

7-[4-(2,1,3-benzoxadiazol-5-ylcarbonyl)-1-piperazinyl]-3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-{4-[(2-chlorophenyl)sulfonyl]-1-piperazinyl}-3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclobutyl-7-[4-(4-morpholinylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-N-phenyl-1-piperazinecarboxamide;

4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-N-[4-(methyloxy)phenyl]-1-piperazinecarboxamide;

4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-N-[3-(methyloxy)phenyl]-1-piperazinecarboxamide;

N-(4-chlorophenyl)-4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinecarboxamide;

4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-N-(4-ethylphenyl)-1-piperazinecarboxamide;

1-(4-{[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]carbonyl}phenyl)-2,2,2-trifluoroethanone;

1-(4-{[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]carbonyl}phenyl)-1-propanone;

3-cyclobutyl-7-(4-{[4-(3-pyridinyl)phenyl]carbonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclobutyl-7-{4-[(2-methyl-5-phenyl-1,3-thiazol-4-yl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(3,4-dichlorophenyl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(2-thienylsulfonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

4-{[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]sulfonyl}benzonitrile;

3-cyclopentyl-7-{4-[(4-methyl-3,4-dihydro-2H-1,4-benzoxazin-7-yl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[4-(phenyloxy)phenyl]sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(2,3-dihydro-1,4-benzodioxin-6-ylsulfonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-(4-{[3,4-bis(methyloxy)phenyl]sulfonyl}-1-piperazinyl)-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[3-(methyloxy)phenyl]sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[4-(methyloxy)phenyl]sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

2,6-dichloro-4-{[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]sulfonyl}phenol;

3-cyclopentyl-7-[4-(8-quinolinylnsulfonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(5-isoquinolinylnsulfonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(1-methyl-1H-imidazol-4-yl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(2,4-dimethyl-1,3-thiazol-5-yl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(1,3,5-trimethyl-1H-pyrazol-4-yl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(3-thienylsulfonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[4-(1-benzothien-3-ylsulfonyl)-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-N,N-dimethyl-1-piperazinesulfonamide;

3-cyclopentyl-7-[4-(thieno[2,3-b]pyridin-2-ylsulfonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine; 3-cyclopentyl-7-{4-[(2,2,2-trifluoroethyl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(phenylmethyl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(1-methylethyl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(4-methylphenyl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-{4-[(4-chlorophenyl)sulfonyl]-1-piperazinyl}-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-{4-[(2-chlorophenyl)sulfonyl]-1-piperazinyl}-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-{4-[(3-chlorophenyl)sulfonyl]-1-piperazinyl}-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(2,3-dichlorophenyl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[4-(1,1-dimethylethyl)phenyl]sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

N-(4-{[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]sulfonyl}phenyl)acetamide;

1-(4-{[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]sulfonyl}phenyl)ethanone;

3-cyclopentyl-7-(4-{[2-(1-naphthalenyl)ethyl]sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

4-{{4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl}sulfonyl}benzoic acid;

3-cyclopentyl-7-(4-{{4-(trifluoromethyl)phenyl}sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[4-(4-biphenylsulfonyl)-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{{5-(1,3-oxazol-5-yl)-2-thienyl}sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(2-naphthalenylsulfonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

5-{{4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl}sulfonyl}-N,N-dimethyl-1-naphthalenamine;

3-cyclopentyl-7-(4-{{(E)-2-phenylethenyl}sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{{4-(1-methylethyl)phenyl}sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-{4-[(3-chloro-2-methylphenyl)sulfonyl]-1-piperazinyl}-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(1-naphthalenylsulfonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-{4-[(5-chloro-2-thienyl)sulfonyl]-1-piperazinyl}-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(methylsulfonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{{3-(trifluoromethyl)phenyl}sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{{5-(2-pyridinyl)-2-thienyl}sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-{4-[(4-chloro-1-benzothien-2-yl)sulfonyl]-1-piperazinyl}-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[4-(2,1,3-benzoxadiazol-4-ylsulfonyl)-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;  
 3-cyclopentyl-7-{4-[(1,2-dimethyl-1H-imidazol-4-yl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;  
 N-(5-{[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]sulfonyl}-4-methyl-1,3-thiazol-2-yl)acetamide;  
 3-cyclopentyl-7-{4-[(3,5-dichlorophenyl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;  
 3-cyclopentyl-7-[4-({4-[(trifluoromethyl)oxy]phenyl}sulfonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;  
 3-cyclopentyl-7-(4-{[2-(trifluoromethyl)phenyl]sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;  
 3-cyclopentyl-7-{4-[(3,5-dimethyl-4-isoxazolyl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;  
 3-cyclopentyl-7-(4-{[6-(phenyloxy)-3-pyridinyl]sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;  
 3-cyclopentyl-7-[4-(phenylsulfonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;  
 3-cyclopentyl-7-{4-[(5-methyl-1-phenyl-1H-pyrazol-4-yl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;  
 7-(4-{[(4-chlorophenyl)methyl]sulfonyl}-1-piperazinyl)-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;  
 3-cyclopentyl-7-[4-({[4-(trifluoromethyl)phenyl]methyl}sulfonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;  
 3-cyclopentyl-7-[4-(2,3-dihydro-1-benzofuran-5-ylsulfonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;  
 6-{[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]sulfonyl}-2H-chromen-2-one;  
 3-cyclopentyl-7-(4-{[5-(3-isoxazolyl)-2-thienyl]sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;



7-[4-(2,1,3-benzothiadiazol-5-ylsulfonyl)-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-(4-{[5-chloro-2-(methyloxy)phenyl]sulfonyl}-1-piperazinyl)-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(5-fluoro-2-methylphenyl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-{4-[(4-bromo-2-ethylphenyl)sulfonyl]-1-piperazinyl}-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-{4-[(6-chloroimidazo[2,1-b][1,3]thiazol-5-yl)sulfonyl]-1-piperazinyl}-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[3-(5-methyl-1,3,4-oxadiazol-2-yl)phenyl]sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(2,5-dimethyl-3-thienyl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[4-methyl-2-(methyloxy)phenyl]sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[2-(3-methylphenyl)ethyl]sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[4-(methylsulfonyl)phenyl]sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(3,4,5-trimethylphenyl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

4-{[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]carbonyl}benzonitrile;

3-cyclopentyl-7-[4-(4-pyridinylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(cyclopentylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(1H-indol-3-ylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;



3-cyclopentyl-7-(4-{[2-(phenoxy)phenyl]carbonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[2-(methoxy)phenyl]carbonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine; 3-cyclopentyl-7-{4-[(3,4-dichlorophenyl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine; 3-cyclopentyl-7-[4-(2-phenylpropanoyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine; 3-cyclopentyl-7-(4-{[4-(1H-pyrazol-1-yl)phenyl]acetyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine; 3-cyclopentyl-7-{4-[(4-methyl-2-phenyl-3-furanyl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[4-(1,1-dimethylethyl)phenyl]carbonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

(3-{[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]carbonyl}phenyl)(phenyl)methanone;

3-cyclopentyl-7-[4-(2,3-dihydro-1-benzofuran-2-ylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[4-(4-biphenylcarbonyl)-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-{4-[(5-chloro-1-benzothien-2-yl)carbonyl]-1-piperazinyl}-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[4-(1-benzothien-2-ylcarbonyl)-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(5-methyl-4-phenyl-2-thienyl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[4-(1,3-benzothiazol-6-ylcarbonyl)-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(phenylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(2-naphthalenylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

1-(4-{[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]carbonyl}phenyl) ethanone;

3-cyclopentyl-7-(4-{[4-(1-methylethyl)phenyl]carbonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[4-(trifluoromethyl)phenyl]carbonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-({3-[(trifluoromethyl)oxy]phenyl}carbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-(4-{[2-bromo-5-(methyloxy)phenyl]carbonyl}-1-piperazinyl)-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

N-{2-[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]-2-oxoethyl}-2-methylbenzamide;

3-cyclopentyl-7-[4-(1,3-dihydro-2H-isoindol-2-ylacetyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-{4-[(3-chlorophenyl)carbonyl]-1-piperazinyl}-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-{4-[(4-chlorophenyl)carbonyl]-1-piperazinyl}-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-{4-[(2-chlorophenyl)carbonyl]-1-piperazinyl}-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(4-nitrophenyl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

N-(4-{[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]carbonyl}phenyl)acetamide;

(4-{[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]carbonyl}phenyl)dimethylamine;

3-cyclopentyl-7-(4-{[3-(methyloxy)phenyl]carbonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-({4-[(1-methylethyl)oxy]phenyl}carbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[4-(methyloxy)phenyl]carbonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-(4-([3-chloro-5-(methoxy)phenyl]carbonyl)-1-piperazinyl)-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[4-(1,3-benzodioxol-5-ylacetyl)-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-([5-(phenylmethyl)-2-furanyl]carbonyl)-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(3-furanylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-([3-(2-furanyl)phenyl]carbonyl)-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(cyclopropylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(3,3-dimethylbutanoyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(2E)-3-phenyl-2-propenoyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

~~3-cyclopentyl-7-[4-({cis-4-[(1,1-dimethylethyl)oxy]cyclohexyl}carbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;~~

3-cyclopentyl-7-(4-{[1-(1-methylethyl)-4-piperidinyl]carbonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

1-{2-[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]-2-oxoethyl}-2-piperidinone;

3-cyclopentyl-7-(4-([(1-methylethyl)oxy]acetyl)-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

N-[(1R)-2-[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]-2-oxo-1-phenylethyl]acetamide;

3-cyclopentyl-7-{4-[1-(phenylmethyl)-L-prolyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(2,3-dihydro-1H-inden-2-ylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[3-methyl-2-(phenylmethyl)butanoyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(1,1-dioxido-3,4-dihydro-2H-1-benzothiopyran-6-yl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[4-(methylsulfonyl)phenyl]carbonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(3,4-dihydro-2H-chromen-2-ylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(2,3-dihydro-1-benzofuran-7-ylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[4-(3-pyridinyl)phenyl]carbonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(3-quinolinylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(pyrazolo[1,5-a]pyridin-3-ylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(5-isoquinolinylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[4-(1-benzothien-3-ylcarbonyl)-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[5-(2-pyridinyl)-2-thienyl]carbonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(1,3-dimethyl-1H-thieno[2,3-c]pyrazol-5-yl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(4-methyl-2-phenyl-1,3-thiazol-5-yl)acetyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[4-(1,3-benzothiazol-2-ylcarbonyl)-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(imidazo[2,1-b][1,3]thiazol-5-ylacetyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[4-(3,5-dimethyl-1H-pyrazol-1-yl)phenyl]carbonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(2,4-dimethyl-1,3-oxazol-5-yl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(4-pyridinylacetyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

6-{2-[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]-2-oxoethyl}-2(1H)-quinolinone;

3-cyclopentyl-7-[4-(phenylacetyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[4-(1-methylethyl)phenyl]acetyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(2-naphthalenylacetyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(diphenylacetyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[4-(trifluoromethyl)phenyl]acetyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-{4-[(4-chlorophenyl)acetyl]-1-piperazinyl}-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[4-(methyloxy)phenyl]acetyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(3-thienylacetyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[4-(1-benzothien-4-ylacetyl)-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[4-(1-piperidinylcarbonyl)phenyl]carbonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[4-(1-benzofuran-4-ylcarbonyl)-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(2-furanylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(2,5-dimethyl-3-furanyl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(1-methyl-L-prolyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(phenyloxy)acetyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(2-thienylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(3-thienylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(2,4-dimethyl-1,3-thiazol-5-yl)acetyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(1,3-thiazol-5-ylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(5-phenyl-1,3-thiazol-4-yl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(1,3-thiazol-4-ylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(pyrazolo[1,5-a]pyrimidin-3-ylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(1-methyl-1H-indazol-3-yl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[4-(2,1,3-benzoxadiazol-5-ylcarbonyl)-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(1-methyl-1H-pyrazol-5-yl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(1-methyl-3-phenyl-1H-pyrazol-4-yl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;



3-cyclopentyl-7-{4-[(3,5-dimethyl-4-isoxazolyl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(4-methyl-1,2,5-oxadiazol-3-yl)acetyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(1-methyl-1H-imidazol-2-yl)acetyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(1-methyl-1H-imidazol-2-yl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-N-2-thienyl-1-piperazinecarboxamide;

4-{[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]carbonyl}benzonitrile;

4-({[(5R)-3-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-2-oxo-1,3-oxazolidin-5-yl]methyl}oxy)benzonitrile;

4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)benzonitrile;

4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-N-methylbenzamide;

1-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)phenyl]-2-propanone;

2-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)phenyl]-N-methylacetamide;

6-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-N-methyl-3-pyridinecarboxamide;

3-cyclobutyl-7-[5-(4-morpholinylcarbonyl)-2-pyridinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-N-methylbenzamide;

5-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-2-furancarbonitrile;

3-cyclobutyl-7-(1,3-thiazol-2-yl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-N,3-dimethylbenzamide;

4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-3-fluoro-N-methylbenzamide;

6-{[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)phenyl]oxy}-N-methyl-3-pyridinecarboxamide;



3-cyclobutyl-7-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-4-piperidiny]-2,3,4,5-tetrahydro-1H-3-benzazepine;

5-[[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidiny]carbonyl]-2-pyridinecarbonitrile;

3-[[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidiny]carbonyl]benzonitrile;

3-cyclobutyl-7-[1-(2-pyrazinylcarbonyl)-4-piperidiny]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclobutyl-7-{1-[(4-fluorophenyl)carbonyl]-4-piperidiny}-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[1-(2,1,3-benzoxadiazol-5-ylcarbonyl)-4-piperidiny]-3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclobutyl-7-(1-{[6-(trifluoromethyl)-3-pyridiny]carbonyl}-4-piperidiny)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclobutyl-7-[1-(1,3-thiazol-4-ylcarbonyl)-4-piperidiny]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclobutyl-7-{1-[(2-fluorophenyl)carbonyl]-4-piperidiny}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclobutyl-7-[1-(2-pyridinylcarbonyl)-4-piperidiny]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclobutyl-7-[1-(3-pyridinylcarbonyl)-4-piperidiny]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclobutyl-7-[1-(pyrazolo[1,5-a]pyrimidin-3-ylcarbonyl)-4-piperidiny]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclobutyl-7-[1-(6-quinoxaliny carbonyl)-4-piperidiny]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclobutyl-7-[1-(5-quinoxaliny carbonyl)-4-piperidiny]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclobutyl-7-{1-[(6-methyl-3-pyridiny)carbonyl]-4-piperidiny}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclobutyl-7-[1-(6-methyl-3-pyridinyl)-4-piperidinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;  
 3-cyclobutyl-7-{1-[6-(trifluoromethyl)-3-pyridinyl]-4-piperidinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;  
 3-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]benzonitrile;  
 4-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]benzonitrile;  
 6-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]-N-methyl-3-pyridinecarboxamide;  
 5-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]-N-methyl-2-pyrazinecarboxamide;  
 5-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]-N-methyl-2-pyridinecarboxamide;  
 1-{6-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]-3-pyridinyl}-2-pyrrolidinone;  
 3-cyclobutyl-7-(4-pyridinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;  
 6-[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]-N-methyl-3-pyridinecarboxamide;  
 3-cyclopentyl-7-{1-[6-(trifluoromethyl)-3-pyridinyl]-4-piperidinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;  
 methyl 5-[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]-2-pyrazinecarboxylate;  
 5-[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]-N-methyl-2-pyrazinecarboxamide;  
 4-({4-[3-(2-methylcyclopentyl)-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl]-1-piperidinyl}carbonyl)benzonitrile;  
~~4-{{4-(3-cyclohexyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl}carbonyl}benzonitrile;~~  
 4-{{4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl}carbonyl}benzonitrile;

N-(4-cyanophenyl)-4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinecarboxamide;  
 N-(4-cyanophenyl)-4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinecarbothioamide;  
 3-cyclobutyl-7-[4-(1-naphthalenylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;  
 4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-N-(4-fluorophenyl)-1-piperazinecarboxamide;  
 4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-N-[4-(methyloxy)phenyl]-1-piperidinecarboxamide;  
 N-(3-cyanophenyl)-4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinecarboxamide;  
 3-cyclobutyl-7-[1-(1,3-dihydro-2H-isoindol-2-ylcarbonyl)-4-piperidinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;  
 N-(6-cyano-3-pyridinyl)-4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinecarboxamide;  
 4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-N-3-pyridinylbenzamide;  
 phenylmethyl 4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinecarboxylate;  
 phenylmethyl 4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinecarboxylate;  
 3-cyclopentyl-7-(1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;  
 3-cyclobutyl-7-(1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;  
 phenylmethyl 4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-3,6-dihydro-1(2H)-pyridinecarboxylate;  
 3-cyclobutyl-7-(4-piperidinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;  
 methyl 6-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-3-pyridinecarboxylate;  
 6-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-3-pyridinecarboxylic acid;  
 methyl 5-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]-2-pyrazinecarboxylate;


5-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidiny]-2-pyrazinecarboxylic acid;  
1,1-dimethylethyl 5-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidiny]-2-pyridinecarboxylate;  
5-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidiny]-2-pyridinecarboxylic acid;  
3-cyclobutyl-7-[1-(5-iodo-2-pyridiny)-4-piperidiny]-2,3,4,5-tetrahydro-1H-3-benzazepine;  
3-cyclopentyl-7-(4-pyridiny)-2,3,4,5-tetrahydro-1H-3-benzazepine;  
3-cyclopentyl-7-(4-piperidiny)-2,3,4,5-tetrahydro-1H-3-benzazepine;  
5-[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidiny]-2-pyrazinecarboxylic acid; and  
(5R)-3-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-5-(hydroxymethyl)-1,3-oxazolidin-2-one;  
or a pharmaceutically acceptable salt ~~or solvate~~ thereof.

12. (Currently Amended) A pharmaceutical composition which comprises the compound of formula (I) as defined in claim 10 or a pharmaceutically acceptable salt ~~or solvate~~ thereof and a pharmaceutically acceptable carrier or excipient.

13. (Currently Amended) A method of treatment of a neurological diseases which comprises administering to a ~~host~~ human in need thereof an effective amount of a compound of formula (I) as defined in claim 10 or a pharmaceutically acceptable salt ~~or solvate~~ thereof, wherein said neurological disease is selected from the group consisting of cognitive impairment, Alzheimer's disease, and age-related memory dysfunction.


14. (Currently Amended) A process for the preparation of a compound of formula (I) according to claim 10 or a pharmaceutically acceptable salt ~~or solvate~~ thereof, which process comprises:

(a) reacting a compound of formula (II)



wherein  $R^1$ ,  $R^3$  and  $n$  are as defined in claim 10 and  $L^1$  represents a suitable leaving group, or an optionally activated hydroxyl group with a compound of formula  $R^2$ -Y, wherein  $R^2$  is as defined in claim 10 and Y represents hydrogen or a suitable coupling group; or


(b) reacting a compound of formula (III)



wherein  $R^2$ ,  $R^3$  and  $n$  are as defined as in claim 10, with a compound of formula  $R^1$ - $L^2$ , wherein  $R^1$  is as defined in claim 10 and  $L^2$  represents a suitable leaving group; or


(c) reacting a compound of formula (III) as defined herein, with a ketone of formula  $R^{1'}=O$ , wherein  $R^{1'}$  is ~~C<sub>3-7</sub>-cycloalkyl~~ cyclobutyl or cyclopentyl optionally substituted by C<sub>1-3</sub> alkyl; or

(d) preparing a compound of formula (I) as defined in claim 10 wherein  $R^2$  represents -heterocyclyl, wherein said heterocyclyl is a 1,3-oxazolidin-2-one group substituted at the 5-position with a hydroxymethyl group, and wherein the oxazolidin-2-one group is attached to the benzazepine moiety through the nitrogen atom, which comprises reacting a compound of formula (IV)



in a two step process, wherein  $R^1$ ,  $R^3$  and  $n$  are as defined in claim 10, with a benzyl chloroformate group and then glycidol butyrate; or

- (e) preparing a compound of formula (I) wherein  $R^2$  represents -aryl, heteroaryl, -aryl-X- $C_{3-8}$  cycloalkyl, -aryl-X-aryl, -aryl-X-heteroaryl, -aryl-X-heterocyclyl, -heteroaryl-X- $C_{3-8}$  cycloalkyl, -heteroaryl-X-aryl, -heteroaryl-X-heteroaryl, -heteroaryl-X-heterocyclyl, which comprises reacting a compound of formula (XI)



wherein  $R^1$ ,  $R^3$  and  $n$  are as defined in claim 10 and  $Z^1$  represents a suitable coupling group with a compound of formula  $R^{2''}$ - $L^1$ , wherein  $L^1$  represents a suitable leaving group, or an optionally activated hydroxyl group and  $R^{2''}$  represents the groups -aryl, -heteroaryl, -aryl-X- $C_{3-8}$  cycloalkyl, -aryl-X-aryl, aryl-X-heteroaryl, -aryl-X-heterocyclyl, -heteroaryl-X- $C_{3-8}$  cycloalkyl, heteroaryl-X-aryl, -heteroaryl-X-heteroaryl, -heteroaryl-X-heterocyclyl, or

- (f) deprotecting a compound of formula (I) which is protected; or
- (g) interconversion from another compound of formula (I).